

SEVO EGYPT

For Chemical Industries



- Gel Coat
- Pigment concentration
- Releasing agent



Gel Coat

- General Purpose/ Industrial
- Isophthalic
- ISO NPG
- Vinyl Ester
- Fire Rattardant





Gel Coats are a versatile and durable primary layer used in the production of composite parts

The majority of Gel Coats are applied as in-mold coatings, used in the first step in composites part production

In-mold Gel Coats protect the mold from abrasion and chemical attack during the remainder of the production process and provide a releasable coating to aid in de-molding operations

Gel Coats are often the exterior coating for composite parts, providing both the colour and texture of the part , They also protect the parts from weathering, moisture and chemical exposure







Pigment concentration

With this polyester pigment paste you can easily add the right colour to gelcoats, topcoats, laminating resin and casting resins. SEVO polyester pigments are resistant to sunlight and mix easily with polyester, gelcoat or topcoat. Our polyester pigment pastes are available in all RAL colours



Releasing agent

High quality material act as a parting agent between layers of resin and the mold surface, so that cured parts can be removed without damaging the part or the mold The effort required to apply a quality release agent during preparation far outweighs the hours spent correcting damage later

- Liquid wax
- Solvent liquid wax
- Solid wax









Scan For Code Sevoegypt.com









Contact Us

■ Phone number ■ Address (055) 2641991

Alsharkia.Egypt

■ Email info@sevoegypt.com







